

6. REFERENCES

- Adema, C.M., Hertel, L.A., Miller, R.D., & Loker, E.S. (1997). A Family of Fibrinogen-Related Proteins that Precipitates Parasite-Derived Molecules is Produced by an Invertebrate after Infection. *Proceedings of the National Academy of Sciences of the United States of America*, **94**, 8691-8696.
- Baker, C. (2008). *Mechanisms of Parasite Resistance in Biomphalaria glabrata* Dissertation, Aberystwyth University.
- Bani, D. (1997). Relaxin: A pleiotropic Hormone. *General Pharmacology*, **28**, 13-22.
- Bani, D., Ballati, L., Masini, E., Bigazzi, M., & Sacchi, T.B. (1997). Relaxin Counteracts Asthma-Like Reaction Induced by Inhaled Antigen in Sensitized Guinea Pigs. *Endocrinology*, **138**, 1909-1915.
- Barrett, J., Brophy, P.M., & Hamilton, J.V. (2005). Analysing Proteomic Data. *International Journal for Parasitology*, **35**, 543-553.
- Bergh, G.V.d. & Arckens, L. (2008). Protein Profiling Based on Two-Dimensional Difference Gel Electrophoresis. *Methods in Molecular Biology*, **439**, 211-224.

- Biron, D.G., Brun, C., Lefevre, T., Lebarbenchon, C., Loxdale, H.D., Chevenet, F., Brizard, J.P., & Thomas, F. (2006). The Pitfalls of Proteomics Experiments Without the Correct Use of Bioinformatics Tools. *Proteomics*, **6**, 5577-5596.
- Blackstock, W.P. & Weir, M.P. (1999). Proteomics: Quantitative and Physical Mapping of Cellular Proteins. *Trends in Biotechnology*, **17**, 121-127.
- Booth, M., Guyatt, H.L., Li, Y.S., & Tanner, M. (1996). The Morbidity Attributable to *Schistosoma japonicum* Infection in 3 Villages in Dongting Lake Region, Hunan Province, PR China. *Tropical Medicine & International Health*, **1**, 646-654.
- Bouchut, A., Sautiere, P.E., Coustau, C., & Mitta, G. (2006) Compatibility in the Biomphalaria glabrata/Echinostoma caproni Model: Potential Involvement of Proteins from Hemocytes Revealed by a Proteomic Approach. *Acta Tropica*, **98**, 234-246.
- Bradford, M.M. (1976). Rapid and Sensitive Method for Quantitation of Microgram Quantities of Protein Utilizing Principle of Protein-Dye Binding. *Analytical Biochemistry*, **72**, 248-254.
- Cheever, A.W., Hoffmann, K.F., & Wynn, T.A. (2000). Immunopathology of Schistosomiasis mansoni in Mice and Men. *Immunology Today*, **21**, 465-466.

Cheng, T.C. & Malek, E.A. (1974). *Medical and Economic Malacology* Academic Press, Inc., New York.

Chitsulo, L., Engels, D., Montresor, A., & Savioli, L. (1998). The Global Status of Schistosomiasis and its Control. In *Meeting on Schistosomiasis in the Post-Transmission Phase*, San Juan, Puerto Rico, 16-17 October, 1998, pp 41-45.

Chitsulo, L., Engels, D., Montresor, A., & Savioli, L. (2000). The Global Status of Schistosomiasis and its Control. *Acta Tropica*, **77**, 41-51.

Combes, C. & Mone, H. (1987). Possible Mechanisms of the Decoy Effect in Schistosoma-Mansoni Transmission. *International Journal for Parasitology*, **17**, 971-975.

Conceicao, M.J., Argento, C.A., & Correa, A. (2000). Study of Schistosoma mansoni Isolates From Patients with Failure of Treatment with Oxamniquine. *Memorias Do Instituto Oswaldo Cruz*, **95**, 375-380.

Davids, B.J., Wu, X.J., & Yoshino, T.P. (1999). Cloning of a Beta Integrin Subunit cDNA From an Embryonic Cell Line Derived from the Freshwater Mollusc, *Biomphalaria glabrata*. *Gene*, **228**, 213-223.

- El-Ansary, A. & Al-Daihan, S. (2006). Important Aspects of Biomphalaria Snail-Schistosome Interactions as Targets for Antischistosome Drug. *Medical Science Monitor*, **12**, 282-292.
- Elias, D., Akuffo, H., Thors, C., Pawlowski, A., & Britton, S. (2005). Low Dose Chronic Schistosoma mansoni Infection Increases Susceptibility to Mycobacterium bovis BCG Infection in Mice. *Clinical and Experimental Immunology*, **139**, 398-404.
- Engels, D., Nahimana, S., & Gryseels, B. (1996). Comparison of the Direct Faecal Smear and Two Thick Smear Techniques for the Diagnosis of Intestinal Parasitic Infections. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **90**, 523-525.
- Fallon, P.G. & Doenhoff, M.J. (1994). Drug-Resistant Schistosomiasis - Resistance to Praziquantel and Oxamniquine Induced in Schistosoma-mansoni in Mice Is Drug-Specific. *American Journal of Tropical Medicine and Hygiene*, **51**, 83-88.
- Georges, D. & Schwabe, C. (1999). Porcine Relaxin, a 500 Million-Year-Old Hormone? The Tunicate Ciona intestinalis has Porcine Relaxin. *Faseb Journal*, **13**, 1269-1275.

- Georges, D., Viguiermartinez, M.C., & Poirier, J.C. (1990). Relaxin-Like Peptide in Ascidians .2. Bioassay and Immunolocalization with Antiporcine Relaxin in 3 Species. *General and Comparative Endocrinology*, **79**, 429-438.
- Gryseels, B., Polman, K., Clerinx, J., & Kestens, L. (2006). Human Schistosomiasis. *Lancet*, **368**, 1106-1118.
- Gygi, S.P., Corthals, G.L., Zhang, Y., Rochon, Y., & Aebersold, R. (2000). Evaluation of Two-Dimensional Gel Electrophoresis-Based Proteome Analysis Technology. *Proceedings of the National Academy of Sciences of the United States of America*, **97**, 9390-9395.
- Hahn, U.K., Bender, R.C., & Bayne, C.J. (2001b). Involvement of Nitric Oxide in Killing of *Schistosoma mansoni* Sporocysts by Hemocytes from Resistant Biomphalaria glabrata. *Journal of Parasitology*, **87**, 778-785.
- Hahn, U.K., Bender, R.C., & Bayne, C.J. (2001a). Killing of *Schistosoma mansoni* Sporocysts by Hemocytes from Resistant Biomphalaria glabrata: Role of Reactive Oxygen Species. *Journal of Parasitology*, **87**, 292-299.

Henzel, W.J., Billeci, T.M., Stults, J.T., Wong, S.C., Grimley, C., & Watanabe, C. (1993). Identifying Proteins from 2-Dimensional Gels by Molecular Mass Searching of Peptide-Fragments in Protein-Sequence Databases. *Proceedings of the National Academy of Sciences of the United States of America*, **90**, 5011-5015.

Hertel, L.A., Adema, C.M., & Loker, E.S. (2005). Differential Expression of FREP Genes in Two Strains of Biomphalaria glabrata Following Exposure to the Digenetic Trematodes Schistosoma mansoni and Echinostoma paraensei. *Developmental and Comparative Immunology*, **29**, 295-303.

Ho, T.Y. & Bagnell, C.A. (2004) Relaxin Induces Matrix Metalloproteinase-9 Through Activation of Nuclear Factor Kappa B in Human THP-1 Cells. In *4th International Conference on Relaxin and Related Peptides*, Moran, WY, Sep, 2004, pp. 314-316.

Ho, T.Y., Yan, W., & Bagnell, C.A. (2007). Relaxin-Induced Matrix Metalloproteinase-9 Expression is Associated with Activation of the NF-kappa B Pathway in Human THP-1 cells. *Journal of Leukocyte Biology*, **81**, 1303-1310.

Humphries, J.E. & Yoshino, T.P. (2006). Schistosoma mansoni Excretory-Secretory Products Stimulate a p38 Signalling Pathway in Biomphalaria glabrata Embryonic Cells. *International Journal for Parasitology*, **36**, 37-46.

Humphries, J.E. & Yoshino, T.P. (2008). Regulation of Hydrogen Peroxide Release in Circulating Hemocytes of the Planorbid Snail Biomphalaria glabrata. *Developmental and Comparative Immunology*, **32**, 554-562.

James, P., Quadroni, M., Carafoli, E., & Gonnet, G. (1994) Protein Identification in DNA Databases by Peptide Mass Fingerprinting. *Protein Science*, **3**, 1347-1350.

Jung, Y., Nowak, T.S., Zhang, S.M., Hertel, L.A., Loker, E.S., & Adema, C.M. (2005). Manganese Superoxide Dismutase from Biomphalaria glabrata. *Journal of Invertebrate Pathology*, **90**, 59-63.

Kjetland, E.F., Ndhlovu, P.D., Gomo, E., Mduluza, T., Midzi, N., Gwanzura, L., Mason, P.R., Sandvik, L., Friis, H., & Gundersen, S.G. (2006). Association Between Genital Schistosomiasis and HIV in Rural Zimbabwean Women. *Aids*, **20**, 593-600.

Klose, J. (1975). Protein Mapping by Combined Isoelectric Focusing and Electrophoresis of Mouse Tissues - Novel Approach to Testing for Induced Point Mutations in Mammals. *Humangenetik*, **26**, 231-243.

Knight, M., Ongele, E., & Lewis, F.A. (2000) Molecular Studies of Biomphalaria glabrata, an Intermediate Host of Schistosoma mansoni. *International Journal for Parasitology*, **30**, 535-541.

Kristensen, T.K. & Brown, D.S. (1998) Control of Intermediate Host Snails for Parasitic Diseases - A Threat to Biodiversity in African Freshwaters? In *Unitas Malacologica - American-Malacological-Society Symposium on Interactions Between Man and Molluscs*, Washington, D.C., Jul 26-30, 1998, pp. 379-391.

Laboratory Identification of Parasites of Public Health Concern (2008). Parasites and Health: Schistosomiasis [on line]. Atlanta: CDC. Available at <<http://www.dpd.cdc.gov/DPDx/HTML/Schistosomiasis.htm>> [Accessed 12 November 2008]

Laemmli, U.K. (1970). Cleavage of Structural Proteins During Assembly of Head of Bacteriophage-T4. *Nature*, **227**, 680 - 685.

Lardans, V. & Dissous, C. (1998). Snail Control Strategies for Reduction of Schistosomiasis Transmission. *Parasitology Today*, **14**, 413-417.

Liu, C.L., Bonaventure, P., Sutton, S.W., Chen, J.C., Kuei, C., Nepomuceno, D., & Lovenberg, T.W. (2004) Recent progress in relaxin-3-related research. In *4th International Conference on Relaxin and Related Peptides*, Moran, WY., Sep, 2004, pp. 47-60.

- Lockyer, A.E., Spinks, J.N., Walker, A.J., Kane, R.A., Noble, L.R., Rollinson, D., Dias-Neto, E., & Jones, C.S. (2007) Biomphalaria glabrata Transcriptome: Identification of Cell-Signalling, Transcriptional Control and Immune-Related Genes from Open Reading Frame Expressed Sequence Tags (ORESTES). *Developmental and Comparative Immunology*, **31**, 763-782.
- Loker, E.S., Adema, C.M., Zhang, S.M., & Kepler, T.B. (2004). Invertebrate Immune Systems; Not Homogeneous, Not Simple, Not Well understood. *Immunological Reviews*, **198**, 10-24.
- Loker, E.S., Bayne, C.J., Buckley, P.M., & Kruse, K.T. (1982). Ultrastructure of Encapsulation of Schistosoma-Mansoni Mother Sporocysts by Hemocytes of Juveniles of the 10-R2 Strain of Biomphalaria-Glabrata. *Journal of Parasitology*, **68**, 84-94.
- Lopez, A.D., Mathers, C.D., Ezzati, M., Jamison, D.T., & Murray, C.J.L. (2006). *Global Burden of Disease and Risk Factors*, illustrated edn. World Bank Publications.
- Madsen, H. (1990). Biological Methods for the Control of Fresh-Water Snails. *Parasitology Today*, **6**, 237-241.
- Malek, E.A. (1981). *Freshwater Snails of Africa and Their Medical Importance*. Routledge, UK.

Matrix Science (2007). MASCOT Search Engine [on line]. Boston: Matrix Science Inc. Available at <<http://www.matrixscience.com>> [Accessed 29 March 2009]

McManus, D.P. & Loukas, A. (2008). Current Status of Vaccines for Schistosomiasis. *Clinical Microbiology Reviews*, **21**, 225-242.

Morgan, J.A.T., DeJong, R.J., Snyder, S.D., Mkoji, G.M., & Loker, E.S. (2001). Schistosoma mansoni and Biomphalaria: Past History and Future Trends. *Parasitology*, **123**, 211-228.

Murray, T. (2008). Mechanisms of Resistance and Susceptibility to Schistosome Infection in *Biomphalaria glabrata*. Dissertation, Aberystwyth University.

NCBI [on line database] (March 2009) Bethesda: NCBI

Negrão-Corrêa, D., Pereira, C.A.J., Rosa, F.M., Martins-Souza, R.L., Andrade, Z.A., & Coelho, P.M.Z. (2007). Molluscan Response to Parasite: Biomphalaria and Schistosoma mansoni Interaction. *Invertebrate Survival Journal*, **2007**, 101-111.

O'Farrell, P.H. (1975). High Resolution Two-Dimensional Electrophoresis of Proteins. *Journal of Biological Chemistry*, **250**, 4007-4021.

- Pappin, D.J.C., Hojrup, P., & Bleasby, A.J. (1993). Rapid Identification of Proteins by Peptide-Mass Fingerprinting. *Current Biology*, **3**, 327-332.
- Pearce, E.J. (2005). Priming of the Immune Response by Schistosome eggs. *Parasite Immunology*, **27**, 265-270.
- Piccinni, M.P., Bani, D., Beloni, L., Manuelli, C., Mavilia, C., Vocioni, F., Bigazzi, M., Sacchi, T.B., Romagnani, S., & Maggi, E. (1999). Relaxin Favors the Development of Activated Human T cells into Th1-like Effectors. *European Journal of Immunology*, **29**, 2241-2247.
- Pointier, J.P. & Guyard, A. (1992). Biological-Control of the Snail Intermediate Hosts of Schistosoma-Mansoni in Martinique, French West-Indies. *Tropical Medicine and Parasitology*, **43**, 98-101.
- Rollinson, D. & Simpson, A.J.G. (1987). *The Biology Of Schistosomes From Genes To Latrines* Academic Press Inc., San Diego.
- Ross, A.G.P., Bartley, P.B., Sleigh, A.C., Olds, G.R., Li, Y.S., Williams, G.M., & McManus, D.P. (2002). Current Concepts - Schistosomiasis. *New England Journal of Medicine*, **346**, 1212-1220.

- Schwabe, C., Leroith, D., Thompson, R.P., Shiloach, J., & Roth, J. (1983). Relaxin Extracted from Protozoa (Tetrahymena-Pyrimiformis) - Molecular and Immunological Properties. *Journal of Biological Chemistry*, **258**, 2778-2781.
- Spibey, C.A., Jackson, P., & Herick, K. (2001) A Unique Charge-Coupled Device/Xenon Arc Lamp Based Imaging System for the Accurate Detection and Quantitation of Multicolour Fluorescence. *Electrophoresis*, **22**, 829-836.
- Spray, F.J. & Granath, W.O. (1990) Differential Binding of Hemolymph-Proteins from Schistosome-Resistant and Schistosome-Susceptible Biomphalaria-Glabrata to Schistosoma-Mansoni Sporocysts. *Journal of Parasitology*, **76**, 225-229.
- Stelma, F.F., Talla, I., Sow, S., Kongs, A., Niang, M., Polman, K., Deelder, A.M., & Gryseels, B. (1995). Efficacy and Side-Effects of Praziquantel in an Epidemic Focus of Schistosoma-Mansoni. *American Journal of Tropical Medicine and Hygiene*, **53**, 167-170.
- Theron, A. & Coustau, C. (2005). Are Biomphalaria Snails Resistant to Schistosoma mansoni? *Journal of Helminthology*, **79**, 187-191.
- Utzinger, J., Zhou, X.N., Chen, M.G., & Bergquist, R. (2005). Conquering schistosomiasis in China: The Long March. *Acta Tropica*, **96**, 69-96.

- Vennervald, B.J., Booth, M., Butterworth, A.E., Kariuki, H.C., Kadzo, H., Ireri, E., Amaganga, C., Kimani, G., Kenty, L., Mwatha, J., Ouma, J.H., & Dunne, D.W. (2005). Regression of Hepatosplenomegaly in Kenyan School-Aged Children after Praziquantel Treatment and Three Years of Greatly Reduced Exposure to *Schistosoma mansoni*. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **99**, 150-160.
- Vergote, D., Bouchut, A., Sautiere, P.E., Roger, E., Galinier, R., Rognon, A., Coustau, C., Salzet, M., & Mitta, G. (2005) Characterisation of Proteins Differentially Present in the Plasma of Biomphalaria glabrata Susceptible or Resistant to *Echinostoma caproni*. *International Journal for Parasitology*, **35**, 215-224.
- Wasinger, V.C., Cordwell, S.J., Cerpoljak, A., Yan, J.X., Gooley, A.A., Wilkins, M.R., Duncan, M.W., Harris, R., Williams, K.L., & Humpherysmith, I. (1994) Progress with Gene-Product Mapping of the Mollicutes - Mycoplasma-genitalium. In *2D Electrophoresis - From Protein Maps to Genomes*, Siena, Italy, Sep 05-07, 1994, pp. 1090-1094.
- Webster, J.P. & Woolhouse, M.E.J. (1999). Cost of Resistance: Relationship Between Reduced Fertility and Increased Resistance in a Snail-Schistosome Host-Parasite System. *Proceedings of the Royal Society of London Series B-Biological Sciences*, **266**, 391-396.

- Wilkinson, T.N., Speed, T.P., Tregear, G.W., & Bathgate, R.A. (2005). Evolution of the Relaxin-Like Peptide Family. *BMC Evolutionary Biology*, **5**, 530 - 533.